Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55841	(car or automobile or vehicle) near7 (display\$3 or screen)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:30
L2	76	(data adj bus) near7 (connect\$3 near2 (OBD or DCL or link))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:23
L3	2	1 and 2 and ((remov\$5 or releas\$4) near5 connect\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:26
L4	0	1 and 2 and tachometer and pressure and RPM	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:39
L5	0	1 and 2 and odometer and pressure and RPM	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:27
L6	0	1 and 2 and odometer	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:27
L7	5	-1 and 2	USPAT; EPO; JPO; DERWENT	OR	ON.	2005/03/04 10:27
L8	7	2 and (car or automobile or vehicle) and (display\$3 or screen)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:38
L9	41	1 and tachometer and pressure and RPM and odometer and temperature	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:51
L10	35	9 and (D/A or digital near2 analog)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:40
L11	21	10 and ((graphic\$4 or digital or analog) near3 (display\$3 or screen))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:51
L12	16	11 and gauge	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:47
L13	0	11 and plasma	USPAT; EPO; JPO; DERWENT	OR.	ON	2005/03/04 10:48
L14	0	9 and plasma	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:48
L15	0	1 and 2 and plasma	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:48

	1			·		
L16	1553	1 and plasma	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:48
L17	376	1 and plasma and ((graphic\$4 or digital or analog) near3 (display\$3 or screen))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:50
L18	551	1 and (plasma near3 (display\$3 or screen))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:50
L19	0	18 and tachometer and pressure and RPM and odometer and temperature	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:51
L20	152	18 and ((graphic\$4 or digital or analog) near3 (display\$3 or screen))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:53
L22	65	20 and bus	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 10:55
L23	32	20 and (bus near2 (data or line or link))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:03
L24	88134	(external\$3 or custom\$3 or add\$3 or market) near5 (instrument or display\$3 or screen\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:05
L25	8	(8 or 23) and 24	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:08
L26		(8 or 23) and add-on	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:09
L27	1	(8 or 23) and shift\$3 near3 gear	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:15
L28	.0	(8 or 23) and ((shift\$3 near3 gear) near4 display\$3)	USPAT; EPO; JPO; DERWENT	OR	ON -	-2005/03/04 11:15
L29	0	(8 or 22) and ((shift\$3 near3 gear) near4 display\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:15
L30		(8 or 20) and ((shift\$3 near3 gear) near4 display\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 11:15

US 6511342 B1 Modular instrument p:439/502 307/10.1
US 6441510 B1 Reconfigurable modu 307/10.1 307/9.1; 340/825.02; 340/825.21
US 20040095255 A Data link connector (DLC) driven gauge system for displaying vehi
US 4831560 A Method for testing aul 701/33 701/99; 73/116; D10/75
US 4694408 A Apparatus for testing 701/33 701/99; 73/116; D10/78

US 6511342 B1 Modular instrument p: 439/502 307/10.1 Reconfigurable modu 307/10.1 307/9.1; 340/825.02; 340/825.21 US 6441510 B1 US 20040095255 A Data link connector (DLC) driven gauge system for displaying vehi Motor vehicle monitor 705/4 340/439; 340/870.01; 360/5; 702 US 6064970 A US 5797134 A Motor vehicle monitor 705/400 705/4 701/99; 73/116; D10/75 Method for testing aut 701/33 US 4831560 A Apparatus for testing 701/33 701/99; 73/116; D10/78 US 4694408 A



US 6587759 B2	Technique for effectiv 701/1	340/438; 340/459; 340/461; 701/	
US 6577928 B2	Multimedia informatio 701/1	701/29	
US 4926331 A	Truck operation monil 701/35	340/438; 701/33	
US 6859687 B2	Technique for tempor 701/1	165/11.1; 165/202; 236/49.3; 237	
US 6836238 B1	Police radar/laser det 342/174	73/1.37	
US 6587758 B2	Technique for adoptir 701/1	165/289; 165/41; 340/459; 340/5	
US 6542795 B2	Technique for providir 701/1	701/29; 701/35	•
US 6542794 B2	Technique for effectiv 701/1	340/438; 340/457; 340/457.4; 70	
US 6459961 B1	Technique for providir 701/1	340/438; 340/459; 340/461; 701/	
US 6449535 B1	Method and system fc701/1	165/254; 165/287; 165/41; 701/3	
US 6438465 B1	Technique for effectiv 701/1	701/36	
US 6330497 B1	Multimedia technique 701/1	345/7; 701/29	
US 6282464 B1	Technique for effectiv 701/1	340/988; 340/990; 701/200; 701/	
US 6233506 B1	Technique for effectiv 701/1	307/10.2; 340/426.16; 340/426.2	
US 6175782 B1	System and method f 701/1	165/11.1; 165/203; 165/205; 165	
US 6131060 A	Method and system fc701/49	307/10.1; 340/461; 701/1; 701/3€	
US 6009355 A	Multimedia informatio 701/1	340/815.4; 345/7; 701/29	
US 4701867 A	Electrical testing devic703/8	340/515; 703/6; 714/736	
US 4611193 A	Electric display device 340/461	340/514; 340/525; 701/1	,
US 4594572 A	Optical multiple outpu 340/462	340/461; 345/618	
US 4188618 A	Digital tachograph sys 340/870.1	{340/462; 340/870.19; 340/870.2{	
	1		
	/ 11	•	
	<u></u>		
•			

US 6351698 B1 US 6351698 B1 US 6249720 B1 US 6690268 B2 UVideo mirror systems 340/438 US 6686911 B1 US 6686911 B1 US 6686911 B1 US 6678614 B2 US 6636197 B1 US 6636197 B1 US 6367069 B1 US 63677464 B2 US 6333702 B1 US 6333702 B1 US 6315666 B1 US 6333702 B1 US 6315666 B1 US 6135884 A US 6135884 A Gaming machine havi 463/20 US 6135884 A US 6135884 A US 6135884 A US 6106298 A US 6002799 A US 5933526 A US 5832396 A US 597216 A US 4972496 A UVideo mirror systems 340/438 340/425.5; 348/148; 359/838; 36 340/425.5; 348/148; 345/161; 345/	US 6401029 B1	Assist device in desig 701/201	701/211
US 6249720 B1	· · · ·		
US 6690268 B2			· · · · · · · · · · · · · · · · · · ·
US 6686911 B1			•
US 6678614 B2 Navigation system for 701/213 340/461; 340/995.19; 340/995.2; US 6636197 B1 Haptic feedback effec 345/156 345/161; 345/184 US 6567069 B1 Integrated display and 345/156 244/75R; 345/7; 701/213 US 6477464 B2 Complete mirror-base 701/213 340/461; 340/525; 340/815.4; 35 US 6368216 B1 Gaming machine havi 463/20 463/25; 463/29; 463/42; 463/46 US 6333702 B1 Navigation device 340/995.2; 340/988; 340/990; 701/210; 701/ US 6315666 B1 Gaming machines havi 463/31 463/20 US 6212297 B1 Handwritten keyboard 382/189 US 6188056 B1 Solid state optical ima 250/208.1 250/214.1; 257/E27.132; 257/E2 US 6154201 A Control knob with mul 345/184 345/156; 715/970; 74/485 US 6135884 A Gaming machine havi 463/20 273/143R; 463/46 US 6133864 A Analog-to-digital conv 341/141 341/156; 341/159; 341/161 US 6128571 A Vehicle navigation sy: 701/201 340/995.24; 701/209; 701/211 US 6106298 A Reconfigurable easily 434/29 434/30; 434/55 382/309 US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 123/US 6002799 A Handwritten keyboard 382/189 382/311 US 5933526 A Handwritten keyboard 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboard 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboard 382/189 382/314 US 5157737 A Handwritten keyboard 382/189 382/314 US 5157737 A Handwritten keyboard 382/187 345/178; 345/901; 382/202			·
US 6636197 B1			•
US 6567069 B1		_ ,	·
US 6477464 B2		•	•
US 6368216 B1 Gaming machine havi 463/20 463/25; 463/29; 463/42; 463/46 US 6333702 B1 Navigation device 340/995.2 340/988; 340/990; 701/210; 701/US 6315666 B1 Gaming machines ha 463/31 463/20 463/20 US 6212297 B1 Handwritten keyboarc 382/189 US 6188056 B1 Solid state optical ima 250/208.1 250/214.1; 257/E27.132; 257/E2 US 6154201 A Control knob with mul 345/184 345/156; 715/970; 74/485 US 6135884 A Gaming machine havi 463/20 273/143R; 463/46 US 6133864 A Analog-to-digital conv 341/141 341/156; 341/159; 341/161 US 6128571 A Vehicle navigation sy: 701/201 340/995.24; 701/209; 701/211 US 6106298 A Reconfigurable easily 434/29 434/30; 434/55 US 6064766 A Handwritten keyboarc 382/189 382/309 US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 123/US 6002799 A Handwritten keyboarc 382/189 382/311 US 5933526 A Handwritten keyboarc 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 382/314 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/189 382/314 US 4972496 A Handwritten keyboarc 382/189 345/178; 345/901; 382/202			
US 6333702 B1 Navigation device 340/995.2·340/988; 340/990; 701/210; 701/US 6315666 B1 Gaming machines ha 463/31 463/20 US 6212297 B1 Handwritten keyboarc 382/189 US 6188056 B1 Solid state optical ima 250/208.1 250/214.1; 257/E27.132; 257/E2 US 6154201 A Control knob with mul 345/184 345/156; 715/970; 74/485 US 6135884 A Gaming machine havi 463/20 273/143R; 463/46 US 6133864 A Analog-to-digital conv 341/141 341/156; 341/159; 341/161 US 6128571 A Vehicle navigation sy: 701/201 340/995.24; 701/209; 701/211 US 6106298 A Reconfigurable easily 434/29 434/30; 434/55 US 6064766 A Handwritten keyboarc 382/189 382/309 US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 123/340; 123		•	
US 6315666 B1			
US 6212297 B1		•	·
US 6188056 B1		•	403/20
US 6154201 A US 6135884 A Gaming machine havi 463/20 US 6133864 A Analog-to-digital conv 341/141 US 6128571 A US 6106298 A Reconfigurable easily 434/29 US 6052644 A Apparatus and metho 701/93 US 6002799 A Handwritten keyboarc 382/189 US 5933526 A Hybrid vehicle includii 701/22 US 5365598 A Handwritten keyboarc 382/189 US 5365598 A Handwritten keyboarc 382/189 US 5157737 A Handwritten keyboarc 382/189 US 4972496 A Control knob with mul 345/156; 715/970; 74/485 273/143R; 463/46 341/156; 341/159; 341/161 340/995.24; 701/209; 701/211		•	050/0444 057/507400 057/50
US 6135884 A Gaming machine havi 463/20 273/143R; 463/46 US 6133864 A Analog-to-digital conv 341/141 341/156; 341/159; 341/161 US 6128571 A Vehicle navigation sy: 701/201 340/995.24; 701/209; 701/211 US 6106298 A Reconfigurable easily 434/29 434/30; 434/55 US 6064766 A Handwritten keyboarc 382/189 382/309 US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 138/349			
US 6133864 A		•	•
US 6128571 A Vehicle navigation sy: 701/201 340/995.24; 701/209; 701/211 US 6106298 A Reconfigurable easily 434/29 434/30; 434/55 US 6064766 A Handwritten keyboarc 382/189 382/309 123/319; 123/342; 123/349; 138/65.2; 180/6		•	•
US 6106298 A Reconfigurable easily 434/29 434/30; 434/55 US 6064766 A Handwritten keyboarc 382/189 382/309 US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 123/ US 6002799 A Handwritten keyboarc 382/189 382/311 US 5933526 A Handwritten keyboarc 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/187 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202		•	· · · · · · · · · · · · · · · · · · ·
US 6064766 A Handwritten keyboarc 382/189 382/309 US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 123/ US 6002799 A Handwritten keyboarc 382/189 382/311 US 5933526 A Handwritten keyboarc 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202		<u> </u>	
US 6052644 A Apparatus and metho 701/93 123/319; 123/342; 123/349; 123/US 6002799 A Handwritten keyboarc 382/189 382/311 US 5933526 A Handwritten keyboarc 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 6106298 A	Reconfigurable easily 434/29	434/30; 434/55
US 6002799 A Handwritten keyboarc 382/189 382/311 US 5933526 A Handwritten keyboarc 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 6064766 A	Handwritten keyboarc 382/189	382/309
US 5933526 A Handwritten keyboarc 382/189 382/309 US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 6052644 A	Apparatus and metho 701/93	123/319; 123/342; 123/349; 123/
US 5832396 A Hybrid vehicle includii 701/22 180/65.2; 180/65.8; 701/209 US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 6002799 A	Handwritten keyboarc 382/189	382/311
US 5487172 A Transform processor 712/32 700/8 US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 5933526 A	Handwritten keyboarc 382/189	382/309
US 5365598 A Handwritten keyboarc 382/189 178/18.05; 382/315 US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 5832396 A	Hybrid vehicle includii 701/22	180/65.2; 180/65.8; 701/209
US 5297216 A Handwritten keyboarc 382/189 382/314 US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 5487172 A	Transform processor 712/32	700/8
US 5157737 A Handwritten keyboarc 382/315 345/173 US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 5365598 A	Handwritten keyboarc 382/189	178/18.05; 382/315
US 4972496 A Handwritten keyboarc 382/187 345/178; 345/901; 382/202	US 5297216 A	Handwritten keyboarc 382/189	382/314
· · · · · · · · · · · · · · · · · · ·	US 5157737 A	Handwritten keyboarc 382/315	345/173
US 4825381 A Moving map display 701/200 340/990; 345/468; 345/536; 345/	US 4972496 A	Handwritten keyboarc 382/187	345/178; 345/901; 382/202
	US 4825381 A		· · · · · · · · · · · · · · · · · · ·
US 4818107 A System for measuring 356/622 340/988; 356/141.3; 356/152.1	US 4818107 A		·
US 4518268 A Diesel engine diagno: 374/144 73/116	US 4518268 A	_	·

no: 374/144 7

Multiple RPM indicatir 340/456 340/439; 340/441; 340/461; 340/

US 6781512 B2

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6441510").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 13:09
L2	1	1 and (communicat\$3 or transmit\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 13:19
L3	0	1 and odometer	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 13:23
L4	0	1 and torque	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 13:34
L5	0	1 and (diagnostic or test\$3 or measur\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 13:35
L6	0	1 and (analyz\$5 or calculat\$3 or check\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 13:39
L7	17	vehicle and display\$3 and data adj bus and connector and OBD	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 14:55
L8	0	7 and odometer and RPM and tachometer and torque	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 14:55
L9	2	7 and odometer and RPM and tachometer	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 14:16
L10	1	7 and plasma	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 14:29
L11	12	7 and (D/A or A/D or convert\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 14:30
L12	101	vehicle and display\$3 and data adj bus and connector and torque	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/04 14:55
L13	8	12 and odometer and RPM and tachometer	USPAT; EPO; JPO; DERWENT	OR	= ON (2)	2005/03/04 14:55

•		
US 6795760 B2	Method and apparatu 701/36	307/10.1; 307/10.4; 340/426.27;
US 6614385 B2	Police activity transpo 342/51	340/425.5; 340/438; 340/439; 34
US 6356823 B1	System for monitoring 701/35	369/21
US 6836238 B1	Police radar/laser det 342/174	73/1.37
US 6816760 B1	Enclosure with interfa 701/29	
US 6603999 B2	Vehicularly integrated 607/5	
US 6603394 B2	Multi-protocol wireles: 340/438	701/29; 701/33
US 6526340 B1	Multi-vehicle commun 701/29	340/439; 701/33; 73/116
US 6377825 B1	Hands-free wireless c 455/569.2	455/556.1; 455/557; 455/563
US 6321531 B1	Method and apparatu 60/275	204/168; 204/173; 204/179; 422/
US 6202008 B1	Vehicle computer sys 701/33	248/27.1; 248/558; 307/10.2; 34(
US 6175789 B1	Vehicle computer sys 701/33	248/27.1; 340/825.25; 361/679; (
US 6009363 A	Vehicle computer sys 701/33	307/10.7; 340/825.25; 361/814; (
US 5794164 A	Vehicle computer sys 455/3.06	701/36
US 5659680 A	PC compatible modul 714/25	
US 5555498 A	Circuit and method fo 701/33	710/105
US 5459660 A	Circuit and method fo 701/33	340/825.5; 701/115; 701/32; 73/ ⁻

L7

US 6850824 B2	Method and apparatu 701/36	701/29; 701/34
US 6823244 B2	Vehicle part control sy701/29	701/34; 701/36
US 6738697 B2	Telematics system for 701/29	701/34
US 6733036 B2	Automotive electronic 280/735	180/274; 180/282; 701/45
US 6648367 B2	Integrated occupant p 280/730.1	280/735
US 6533316 B2	Automotive electronic 280/735	701/45
US 6326704 B1	Vehicle electrical syst 307/9.1	307/10.1; 340/310.01; 701/49
US 6273771 B1	Control system for a r 440/84	114/144RE

L13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(vehicle or car) and bus and OBD and torque	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/08 09:08
L2	6	1 and (fuel near3 (economy or sav\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/08 09:11
L3	369	(display\$3 or indicat\$3) near9 (fuel near3 (economy or sav\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/08 09:11
L4	49	3 and ((display\$3 or indicat\$3) near5 torque)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/08 09:12
L5	0	4 and bus and OBD	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/08 09:12
L6	0	4 and OBD	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/08 09:12
L7	16	4 and bus near2 data	USPAT; EPO; JPO; DERWENT	OR	ON.	2005/03/08 09:12

US 6601442 B1	Duty cycle monitoring 73/117.3	701/114
US 6539919 B2	Ignition timing for eng 123/406.1	123/406.23
US 6860100 B1	Degradation detectior 60/277	204/424; 60/274; 60/276; 60/285
US 6810659 B1	Method for determinir 60/277	204/424; 60/274; 60/276
US 6539704 B1	Method for improved 60/274	60/285
US 6532732 B2	Method for improved 60/274	60/277; 60/285; 701/123
US 6490856 B2	Control for improved \60/274	60/285; 60/295
US 6487850 B1	Method for improved 60/285	60/274; 60/301
US 6481199 B1	Control for improved \60/274	60/285; 60/295
US 6477832 B1	Method for improved 60/285	60/276; 60/277
US 6427437 B1	Method for improved 60/274	60/276; 60/285
US 6371066 B1	Torque based cam tin 123/90.15	123/322; 123/406.24; 123/90.16;
US 6327847 B1	Method for improved 60/274	60/277; 60/285; 60/295; 60/301
US 6308697 B1	Method for improved : 123/672	60/274; 60/276; 60/285; 701/108
US 5520159 A	Burned gas recycling 123/568.2	7
US 5172609 A	Gradeability-based sh 477/97	477/129; 477/155; 477/900; 701/
	_	
	ľ	
		フ